


	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	559.38	77.213	0.359	564.2	547.81	1.809	0.017
2	610.5	77.254	0.796	648.11	599.89	5.119	0.102
3	671.26	78.775	2.57	805.32	648.11	11.256	-0.161
4	895.97	83.022	3.67	915.26	841	4.593	0.341
5	998.21	69.16	0.401	1000.13	915.26	9.037	0.082
6	1033.89	66	1.011	1042.57	1001.1	7.183	0.194
7	1059.93	65.218	1.797	1094.65	1043.53	9.08	0.297
8	1112.01	68.06	1.358	1142.87	1103.33	6.177	0.237
9	1162.16	70.77	5.019	1192.06	1143.84	6.31	0.678
10	1199.78	79.275	1.063	1219.06	1192.06	2.56	0.071
11	1232.57	81.699	0.114	1251.86	1229.67	1.911	0.001
12	1261.5	81.996	0.322	1272.11	1251.86	1.729	0.018
13	1317.44	78.982	1.529	1329.01	1287.54	3.864	0.112
14	1337.69	79.308	0.559	1349.26	1329.01	2	0.027
15	1372.41	78.242	2.255	1402.31	1350.23	5.186	0.292
16	1426.42	79.931	2.422	1540.23	1407.13	9.613	0.735
17	1630.88	86.587	5.221	1820.88	1548.91	11.444	2.255
18	2043.67	94.202	0.064	2051.38	2021.49	0.768	0.005
19	2138.18	94.093	0.007	2194.12	2137.22	1.457	0.005
20	2322.39	94.498	0.064	2335.9	2314.68	0.518	0.003
21	2376.4	94.378	0.061	2387.01	2369.65	0.433	0.003
22	2902.99	81.271	9.494	3005.22	2554.83	23.02	5.995
23	3418.97	70.251	0.741	3433.44	3006.19	45.368	3.366

Comment;
Sampel 1

Apodization;

|



	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	559.38	78.674	0.625	569.99	538.16	3.232	0.046
2	609.53	78.804	0.91	651	594.1	5.589	0.104
3	667.4	80.142	1.584	842.93	651.97	12.183	0.157
4	895.97	85.648	2.951	916.23	842.93	3.931	0.301
5	1031.96	71.259	1.74	1043.53	916.23	13.691	0.832
6	1060.89	70.506	1.551	1099.47	1043.53	8.083	0.23
7	1111.05	73.05	1.286	1143.84	1099.47	5.693	0.227
8	1162.16	75.063	4.16	1193.02	1143.84	5.34	0.522
9	1199.78	82.123	0.703	1220.03	1193.02	2.179	0.043
10	1232.57	84.036	0.418	1248.96	1220.03	2.154	0.032
11	1263.43	84.184	0.359	1288.5	1248.96	2.922	0.043
12	1318.4	81.614	1.059	1329.01	1288.5	3.306	0.091
13	1335.76	81.861	0.244	1350.23	1329.01	1.822	0.014
14	1373.38	80.927	1.549	1402.31	1350.23	4.555	0.201
15	1425.46	81.676	1.864	1525.76	1408.1	8.395	0.577
16	1633.78	83.367	5.962	1741.8	1571.09	10.342	2.209
17	2347.47	88.319	0.021	2348.43	2334.93	0.723	0.002
18	2377.37	87.988	0.193	2389.91	2354.22	1.962	0.019
19	2902.03	75.31	6.041	2995.58	2389.91	49.294	3.76
20	3445.98	56.434	1.435	3653.33	3431.51	44.285	2.873

Comment;
Sampel 2


Date/Time; 10/20/2021 9:57:02 AM

No. of Scans;

Resolution;

Apodization;

User; Administrator




	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	520.8	71.882	0.12	522.73	509.23	1.916	0.004
2	557.45	71.035	0.912	572.88	539.13	4.918	0.095
3	612.43	71.701	0.765	648.11	603.75	6.103	0.077
4	667.4	73.477	1.855	814.96	648.11	17.128	-0.235
5	895.01	76.595	2.238	911.4	814.96	9.061	0.022
6	1031	64.624	1.832	1043.53	912.37	20.652	1.437
7	1058.97	64.388	1.457	1095.61	1044.5	9.346	0.221
8	1111.05	66.95	1.474	1145.77	1095.61	8.355	0.295
9	1164.09	68.821	3.174	1195.92	1145.77	7.485	0.454
10	1200.74	73.98	0.463	1224.85	1195.92	3.596	0.025
11	1232.57	76.418	0.221	1272.11	1224.85	5.404	0.014
12	1275	77.285	0.058	1292.36	1272.11	2.252	0.007
13	1319.37	74.706	1.143	1329.98	1292.36	4.5	0.1
14	1374.34	74.924	1.279	1409.06	1351.19	7.005	0.197
15	1430.28	75.673	2.254	1544.08	1410.02	13.127	0.812
16	1627.03	79.672	5.28	1704.18	1551.8	12.947	2.149
17	1713.83	84.466	0.038	1881.64	1712.86	8.931	-0.638
18	2046.56	90.728	0.078	2055.24	2003.16	2.166	0.013
19	2133.36	90.542	0.425	2215.34	2077.42	5.776	0.13
20	2373.51	90.817	0.15	2388.94	2279.96	4.43	0.028
21	2900.1	78.438	7.534	2998.47	2389.91	39.879	5.852
22	3402.58	70.388	0.035	3403.54	2999.44	47.388	2.505

Comment;
Sampel 3

Date/Time; 10/20/2021 10:07:45 AM
No. of Scans;
Resolution;

User; Administrator

|




	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	489.94	62.735	0.9	498.62	467.76	6.134	0.087
2	512.12	62.632	0.706	520.8	499.58	4.253	0.051
3	560.35	62.412	0.65	585.42	549.74	7.191	0.071
4	596.03	63.195	0.261	609.53	586.39	4.594	0.023
5	664.51	66.962	0.978	838.11	653.9	23.921	0.144
6	897.9	75.947	0.787	907.55	839.07	7.26	0.077
7	1001.1	61.456	0.303	1003.03	908.51	15.584	0.317
8	1031.96	59.787	1.027	1043.53	1003.99	8.618	0.134
9	1059.93	58.388	3.392	1093.69	1044.5	10.641	0.586
10	1111.05	63.418	2.763	1142.87	1094.65	8.899	0.477
11	1161.2	66.721	4.511	1193.02	1143.84	7.692	0.641
12	1201.7	74.281	0.838	1222.92	1193.99	3.572	0.066
13	1234.5	76.576	0.356	1261.5	1223.89	4.303	0.032
14	1280.79	76.705	0.235	1290.43	1262.46	3.19	0.015
15	1318.4	73.792	1.251	1329.01	1291.4	4.683	0.119
16	1376.27	73.388	1.165	1396.52	1351.19	5.937	0.16
17	1424.49	73.028	2.346	1519.01	1409.06	12.296	0.673
18	1630.88	66.565	18.242	1829.56	1534.44	29.011	9.261
19	2062.96	87.53	0.028	2080.32	2054.28	1.504	0.002
20	2365.79	88.368	0.275	2390.87	2348.43	2.249	0.029
21	2902.99	76.551	6.247	2992.69	2391.83	45.57	3.876
22	3441.16	43.031	0.76	3694.81	3436.33	61.356	3.536

Comment;
Sampel 4

Date/Time; 10/20/2021 10:23:35 AM
No. of Scans;
Resolution;

User; Administrator

|




	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	488.98	80.509	0.694	500.55	479.33	1.952	0.035
2	561.31	80.375	0.812	576.74	549.74	2.51	0.065
3	611.46	81.041	0.816	652.93	603.75	4.088	0.122
4	665.47	84.472	1.121	691.51	653.9	2.551	0.097
5	896.94	92.132	1.112	910.44	837.14	1.998	0.112
6	999.17	79.122	0.894	1004.96	911.4	6.382	0.285
7	1033.89	77.438	0.86	1043.53	1005.92	3.996	0.066
8	1058.97	76.153	2.907	1091.76	1044.5	5.036	0.376
9	1111.05	79.929	2.996	1142.87	1092.72	4.39	0.436
10	1162.16	83.034	4.422	1193.99	1143.84	3.246	0.493
11	1200.74	90.788	0.681	1221.96	1193.99	1.054	0.043
12	1237.39	92.725	0.303	1256.68	1221.96	1.116	0.025
13	1281.75	92.609	0.163	1290.43	1256.68	1.099	0.007
14	1318.4	89.64	1.235	1329.98	1290.43	1.632	0.089
15	1335.76	90.047	0.18	1349.26	1329.98	0.863	0.008
16	1376.27	89.399	0.724	1393.63	1349.26	2.069	0.08
17	1426.42	88.729	2.801	1531.55	1394.59	4.672	0.644
18	1630.88	84.53	13.933	1876.82	1532.51	5.772	5.336
19	2077.42	101.563	0.006	2303.11	2076.46	-2.164	-0.013
20	2323.36	102.798	0.018	2329.15	2303.11	-0.315	0.001
21	2370.62	102.781	0.116	2386.05	2347.47	-0.469	0.01
22	2519.14	102.057	0.223	2552.9	2386.05	-1.755	0.038
23	2902.03	94.417	5.17	2994.62	2552.9	1.479	2.45
24	3439.23	62.183	1.046	3730.49	3431.51	29.657	1.858

Comment;
Sampel 5

Apodization;

|

User; Administrator



	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	490.9	88.123	0.902	505.37	473.54	1.673	0.068
2	562.27	88.29	0.52	572.88	548.77	1.273	0.03
3	615.32	88.805	0.718	652.93	605.67	2.187	0.071
4	664.51	91.154	0.621	824.6	652.93	4.139	-0.202
5	874.76	95.679	0.449	883.44	836.18	0.697	-0.005
6	895.97	95.386	0.313	910.44	883.44	0.536	0.019
7	999.17	88.191	1.404	1013.64	910.44	4.061	0.335
8	1033.89	87.963	0.41	1043.53	1013.64	1.623	0.028
9	1059.93	87.309	1.552	1092.72	1043.53	2.627	0.176
10	1111.05	89.376	1.492	1143.84	1092.72	2.25	0.199
11	1162.16	91.13	2.146	1195.92	1143.84	1.692	0.217
12	1200.74	95.076	0.246	1223.89	1195.92	0.54	0.009
13	1236.42	96.197	0.147	1259.57	1223.89	0.589	0.011
14	1281.75	96.161	0.103	1291.4	1265.36	0.434	0.005
15	1318.4	94.686	0.576	1328.05	1291.4	0.76	0.039
16	1378.2	94.447	0.309	1392.66	1347.34	1.073	0.03
17	1426.42	93.716	0.879	1446.67	1392.66	1.413	0.111
18	1628.95	91.26	7.89	1832.45	1546.98	3.074	2.892
19	2054.28	101.634	0.005	2100.57	2052.35	-0.352	0
20	2323.36	102.703	0.137	2344.58	2305.03	-0.467	0.014
21	2360.01	102.732	0.075	2365.79	2346.51	-0.232	0.002
22	2855.73	99.552	0.295	2864.41	2754.47	-0.591	-0.181
23	2920.35	98.365	2.14	2998.47	2864.41	0.105	0.493
24	3437.3	78.921	24.83	3775.82	2999.44	26.686	38.282

Comment;
Sampel 6

Apodization;

|

User; Administrator