




	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	617.22	52.081	0.451	628.79	607.58	5.975	0.044
2	669.3	52.144	0.751	715.59	665.44	13.625	0.138
3	898.83	54.818	2.769	923.9	866.04	14.291	0.449
4	1033.85	48.374	0.377	1037.7	931.62	30.281	0.82
5	1120.64	49.278	0.21	1145.72	1116.78	8.779	0.025
6	1163.08	49.926	1.356	1190.08	1147.65	12.456	0.253
7	1244.09	50.14	0.447	1251.8	1192.01	17.41	0.235
8	1317.38	50.863	0.233	1321.24	1300.02	6.142	0.019
9	1504.48	51.561	3.058	1521.84	1490.97	8.586	0.48
10	1593.2	52.561	1.89	1616.35	1577.77	10.554	0.381
11	2517.1	68.92	0.068	2519.03	2391.73	18.95	0.014
12	2912.51	54.093	0.243	2918.3	2519.03	81.244	0.248
13	3128.54	55.613	0.07	3130.47	3035.96	23.223	0.081
14	3169.04	54.716	0.059	3170.97	3132.4	9.978	0.023
15	3194.12	54.358	0.038	3196.05	3172.9	6.102	0.011
16	3232.7	53.912	0.025	3234.62	3211.48	6.183	0.004

Comment;

F 460

Date/Time; 5/13/2022 10:54:20 AM

No. of Scans; 40

Resolution; 4 [1/cm]

Apodization; Happ-Genzel

User;

Lab Sentral UM